

Version number 2

Revision: 11.04.2016

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: Epoxy blends
- · Article number: Cardolite FormuLITE 2502A
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Product category PC9a Coatings and paints, thinners, paint removers
- · Application of the substance / the mixture Coating
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: CARDOLITE SPECIALTY CHEMICALS EUROPE N.V. Wijmenstraat 21 K , Bus 2 9030 Mariakerke – Gent Tel. : +32 9 265.88.26 (Belgium) Fax. : +32 9 265.88.24 (Belgium) regulatory@cardolite.com eumsds@cardolite.com

• Further information obtainable from: Product safety department

• 1.4 Emergency telephone number: During business hours: +32 9 265.88.26 (Belgium)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

GHS07

Skin Irrit. 2	H315 Causes skin irritation.	
Eye Irrit. 2	H319 Causes serious eye irritation.	
Skin Sens. 1	H317 May cause an allergic skin reaction	on.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

• **Hazard-determining components of labelling:** Liquid epoxy resin Cashew, nutshell liq., polymer with epichlorohydrin 1,6-Hexanediol diglycidylether

(Contd. on page 2)

⁻ EU



Version number 2

Revision: 11.04.2016

Trade name: Epoxy blends

(Contd. of page 1)			
· Hazard statements			
H315 Causes skin irritation.			
H319 Causes serious eye irritation.			
H317 May cause an allergic skin reaction.			
H411 Toxic to aquatic life with long lasting effects.			
• Precautionary statements			
P101 If medical advice is needed, have product container or label at hand.			
P102 Keep out of reach of children.			
P103 Read label before use.			
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.			
P280 Wear protective gloves/protective clothing/eye protection/face protection.			
P273 Avoid release to the environment.			
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
lenses, if present and easy to do. Continue rinsing.			
P321 Specific treatment (see on this label).			
P501 Dispose of contents/container in accordance with local/regional/national/international			
regulations.			
· Additional information:			
Contains epoxy constituents. May produce an allergic reaction.			
· 2.3 Other hazards			
· Results of PBT and vPvB assessment			
• PBT: Not applicable.			

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 25068-38-6 NLP: 500-033-5 Index number: 603-074-00-8 Reg.nr.: 01-2119456619-26-0031	Liquid epoxy resin Aquatic Chronic 2, H411; O Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	70,0 - 85,0%
CAS: 68413-24-1 NLP: 500-210-7 Reg.nr.: 01-2119982994-15-0000	Cashew, nutshell liq., polymer with epichlorohydrin Skin Sens. 1, H317	5,0 - 10,0%
CAS: 16096-31-4 EINECS: 240-260-4	 1,6-Hexanediol diglycidylether Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317; Aquatic Chronic 3, H412 	5,0 - 10,0%

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)



Version number 2

Revision: 11.04.2016

(Contd. of page 2)

Trade name: Epoxy blends

- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters Promptly isolate the scene by removing all person from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed and in a well ventilated place.
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Cardolite epoxy resins and hardeners may absorb moisture and carbon dioxide when left in open containers, which could result in increased viscosity, discoloration, reduction of reactivity, and/or crystallization of the products. These products should be kept tightly sealed in their original containers when not in use, and stored in a cool, dry place. Some Cardolite epoxy resins might crystallize. This reversible, physical phenomena can be greatly avoided by storing the resin at temperatures above 25 °C.

- No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)

EU





Version number 2

Revision: 11.04.2016

Trade name: Epoxy blends

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

• **Body protection:** Protective work clothing

(Contd. on page 5)

FU



Version number 2

Revision: 11.04.2016

Trade name: Epoxy blends

(Contd. of page 4)

SECTION 9: Physical and chemical properties		
 9.1 Information on basic physical a General Information 	and chemical properties	
· Appearance:		
Form:	Fluid	
Colour:	Orange- Red	
· Odour: · Odour threshold:	Like ammoniac Not determined.	
	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	
0. 0 0		
· Flash point:	> 150 ℃	
 Flammability (solid, gaseous): 	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 25 ℃:	1.134 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
· Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic at 25 °C:	750 - 1000 cps	
Kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability Product is stable.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



Version number 2

Revision: 11.04.2016

Trade name: Epoxy blends

(Contd. of page 5)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: Irritating to eyes and skin.
- · Primary irritant effect:
- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

EU



Version number 2

Revision: 11.04.2016

Trade name: Epoxy blends

(Contd. of page 6)

· 14.1 UN-Number · ADR, IMDG, IATA	UN3082
 · 14.2 UN proper shipping name · ADR · IMDG 	3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (reaction product bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (reaction product: bisphenol-A (epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)), MARINE POLLUTANT
·IATA	Environmentally hazardous substance, liquid, n.o. (reaction product: bisphenol-A-(epichlorhydrir epoxy resin (number average molecular weight 700))
· 14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles 9
· 14.4 Packing group · ADR, IMDG, IATA	III
 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): 	Product contains environmentally hazardou substances: reaction product: bisphenol-A (epichlorhydrin) epoxy resin (number averag molecular weight ≤ 700) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
• 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
 Danger code (Kemler): EMS Number: Stowage Category 	90 F-A,S-F A
 14.7 Transport in bulk according to Anno Marpol and the IBC Code 	ex II of Not applicable.
· Transport/Additional information:	
· ADR	
 Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
· Transport category	3



Version number 2

Revision: 11.04.2016

Trade name: Epoxy blends

	(Contd. of page 7
· Tunnel restriction code	E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN EPOXY RESIN (NUMBER AVERAGE MOLECULAF WEIGHT \leq 700)), 9, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation. • Hazard pictograms



GHS07 GHS09

- · Signal word Warning
- Hazard-determining components of labelling: Liquid epoxy resin Cashew, nutshell liq., polymer with epichlorohydrin 1,6-Hexanediol diglycidylether

· Hazard statements

- H315 Causes skin irritation.
- H319 Causes serious eve irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P321 Specific treatment (see on this label).
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

(Contd. on page 9)



Version number 2

Revision: 11.04.2016

Trade name: Epoxy blends

(Contd. of page 8)

FU

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- · Department issuing MSDS: Product safety department
- · Contact: Mr Eleazar dela Cruz
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Skin Sens. 1A: Sensitisation - Skin, Hazard Category 1A Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3