

Printing date 26.09.2017

Version number 3

Revision: 26.09.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: Epoxy Curing Agent
- · Article number: Cardolite LITE 2002
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Product category PC9a Coatings and paints, thinners, paint removers
- · Application of the substance / the mixture Coating
- 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: CARDOLITE SPECIALTY CHEMICALS EUROPE N.V. Wijmenstraat 21 K, Bus 2 9030 Mariakerke - Gent Tel. : +32 9 265.88.26 (Belgium) Fax. : +32 9 265.88.24 (Belgium) regulatory@cardolite.com eumsds@cardolite.com

· Further information obtainable from: Product safety department

• 1.4 Emergency telephone number: During business hours: +32 9 265.88.26 (Belgium)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Acute Tox, 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling: m-Phenylenebis(methylamine)

(Contd. on page 2)

EU



Printing date 26.09.2017

Version number 3

Revision: 26.09.2017

Trade name: Epoxy Curing Agent

	(Contd. of page 1
	lundecamethylenediamine
 Hazard stat 	
	ful if inhaled.
H315 Cause	es skin irritation.
H318 Cause	es serious eye damage.
H317 May c	ause an allergic skin reaction.
· Precaution	ary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves / eye protection / face protection.
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· 2.3 Other h	•
	PBT and vPvB assessment
· PBT: Not ap	
• = • • • • • • • •	

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:					
CAS: 1477-55-0 EINECS: 216-032-5 Reg.nr.: 01-2119480150-50-0000	m-Phenylenebis(methylamine) Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317; Aquatic Chronic 3, H412	10.0 - 15.0%			
CAS: 112-57-2 EINECS: 203-986-2 Index number: 612-060-00-0	3,6,9-Triazaundecamethylenediamine Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	~ 1.0%			
• Additional information · For the v	wording of the listed hazard phrases refer to section 16				

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)



Printing date 26.09.2017

Version number 3

Revision: 26.09.2017

(Contd. of page 2)

Trade name: Epoxy Curing Agent

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- **5.3 Advice for firefighters** Promptly isolate the scene by removing all person from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed and in a well ventilated place.
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 26.09.2017

Cardolite

Chemistry for Tomorrow

Version number 3

Revision: 26.09.2017

Trade name: Epoxy Curing Agent

(Contd. of page 3)

· 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls Use local exhaust ventilation. Suitable respiratory equipment should be used in cases of insufficient ventilation. · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eve protection: Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:
 - Form:

Liquid

(Contd. on page 5)

FU



Printing date 26.09.2017

Version number 3

Revision: 26.09.2017

Trade name: Epoxy Curing Agent

	(Contd. of page 4
Colour:	Light yellow
· Odour:	Amine-like
· Odour threshold:	Not determined.
· pH-value at 25 ℃:	10,5
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined.
· Flash point:	> 110 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 25 °C:	0,98617 g/cm ³
 Relative density 	Not determined.
 Vapour density 	Not determined.
· Evaporation rate	Not determined.
 Solubility in / Miscibility with 	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic at 25 °C:	450 cps
Kinematic:	Not determined.
 9.2 Other information 	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Product is stable.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

EU



Printing date 26.09.2017

Version number 3

Revision: 26.09.2017

Trade name: Epoxy Curing Agent

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if inhaled.
- LD/LC50 values relevant for classification: Irritating to eyes and skin.

1477-55-0 m-Phenylenebis(methylamine)

Oral LD50 1,040 mg/kg (rat) Inhalative LC50/4 h 2.4 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 26.09.2017

Version number 3

Revision: 26.09.2017

(Contd. of page 6)

Trade name: Epoxy Curing Agent

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport informati	on
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Non-hazardous for transport
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Not regulated as dangerous goods. Non-hazardous for transport
· 14.3 Transport hazard class(es)	
· ADR · Class · Label · ADN/R Class:	Non-hazardous for transport Miscellaneous dangerous substances and articles. - Non-hazardous for transport
· IMDG, IATA · Class · Label	Non-hazardous for transport
 14.4 Packing group ADR, IMDG, IATA 	Non-hazardous for transport
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user Danger code (Kemler): EMS Number: 	Not applicable. - -
 14.7 Transport in bulk according to Ann Marpol and the IBC Code 	ex II of Not applicable.
· UN "Model Regulation":	UN-, -

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

(Contd. on page 8)



v

160131011

EU



Printing date 26.09.2017

Version number 3

Revision: 26.09.2017

Trade name: Epoxy Curing Agent

nining components of labelling: s(methylamine)
s(methylamine)
decamethylenediamine
ients
f inhaled.
kin irritation.
erious eye damage.
se an allergic skin reaction.
statements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wear protective gloves / eye protection / face protection.
338 IF IN EYES: Rinse cautiously with water for several minutes. Remove conta lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Specific treatment (see on this label).
Dispose of contents/container in accordance with local/regional/national/internation regulations.
i f S

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- · Department issuing SDS: Product safety department
- Contact: Mr Eleazar dela Cruz
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Mairtime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

(Contd. on page 9)

EU -



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.09.2017

Version number 3

Revision: 26.09.2017

Trade name: Epoxy Curing Agent

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	(Contd. of page 8)
Aqualic Ontonic 5. Hazardous to the aqualic environment - long-term aqualic hazard – Oalegoly 5	