

Version 3

Reviewed on 02/22/2016

1 Identification

- · Product identifier
- · Product Description: Epoxy curing agent
- · Product code: Cardolite NT-1544
- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet

```
• Manufacturer/Supplier:
Cardolite Corporation
500 Doremus Avenue
Newark, NJ 07105
USA
Tel: (973) 344-5015
Fax: (973) 344-1197
Regulatory@cardolite.com
```

- · Information department: Product safety department
- · Emergency telephone number: 24 Hour Emergency: 800-424-9300 CHEMTREC

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

 Hazard-determining components of labeling: Fatty Acids, C18-unsatd, dimers, reaction products with polyethylenepolyamines 3,6-diazaoctanethylenediamin
 Hazard statements H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.
 Precautionary statements P260 Do not breathe dusts or mists. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.


(Contd. on page 2)



Version 3

Reviewed on 02/22/2016

Product Description: Epoxy curing agent



• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
68410-23-1	Fatty Acids, C18-unsatd, dimers, reaction products with polyethylenepolyamines Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317	> 93.0%
	3,6-diazaoctanethylenediamin ♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H312; Skin Sens. 1, H317	< 7.0%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

US



Version 3

Reviewed on 02/22/2016

Product Description: Epoxy curing agent

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters

Promptly isolate the scene by removing all person from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities Keep container tightly closed and in a well ventilated place.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4) US



Version 3

Reviewed on 02/22/2016

Product Description: Epoxy curing agent

(Contd. of page 3)

- Control parameters
- · Components with limit values that require monitoring at the workplace:

112-24-3 3,6-diazaoctanethylenediamin WEEL Long-term value: 6 mg/m³, 1 ppm

Skin

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemic	cal properties	
 Information on basic ph General Information Appearance: Form: 	ysical and chemical properties	
Color:	Orange- Red	
		(Contd. on page 5)



Version 3

Reviewed on 02/22/2016

Product Description: Epoxy curing agent

		(Contd. of page 4)
· Odor: · Odor threshold:	Amine-like Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.	
· Flash point:	111 ℃ (232 °F)	
 Flammability (solid, gaseous): 	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
 Danger of explosion: 	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure:	Not determined.	
 Density at 25 ℃ (77 °F): Relative density Vapor density Evaporation rate 	0.97059 g/cm ³ (8.1 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water)	: Not determined.	
 Viscosity: Dynamic at 25 ℃ (77 ℉): Kinematic: Other information 	8000 - 12000 cps Not determined. No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Product is stable.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US



Version 3

Reviewed on 02/22/2016

Product Description: Epoxy curing agent

(Contd. of page 5)

Informa Acute to	tion on toxicological effects
) values that are relevant for classification:
Irritating	to eyes and skin.
68410-2	3-1 Fatty Acids, C18-unsatd, dimers, reaction products with polyethylenepolyamines
Oral	LD50 5000 mg/kg (rat)
112-24-:	3 3,6-diazaoctanethylenediamin
Oral	LD50 2500 mg/kg (rat)
Dermal	LD50 805 mg/kg (rabbit)
	irritant effect: kin: Caustic effect on skin and mucous membranes.
Strong in Sensitiz Addition The pro preparat Corrosiv Irritant Swallow esophag	
	ternational Agency for Research on Cancer)
•	the ingredients is listed.
	itional Toxicology Program)
None of	the ingredients is listed.
OSHA-(a (Occupational Safety & Health Administration)
SOUN-C	

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

(Contd. on page 7)

(Contd. of page 6)



Safety Data Sheet acc. to OSHA HCS

Version 3

Reviewed on 02/22/2016

Product Description: Epoxy curing agent

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN3082
 · UN proper shipping name · DOT 	Environmentally hazardous substances, liquid, n.o. (Fatty Acids, C18-unsatd, dimers, reaction products wi polyethylenepolyamines)
ADR	3082 Environmentally hazardous substances, liqui n.o.s. (Fatty Acids, C18-unsatd, dimers, reaction produc with polyethylenepolyamines)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Fatty Acids, C18-unsatd, dimer reaction products with polyethylenepolyamines), MARIN POLLUTANT
·IATA	Environmentally hazardous substance, liquid, n.o.s. (Fa Acids, C18-unsatd, dimers, reaction products wi polyethylenepolyamines)
· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles 9
· ADR	



Version 3

Reviewed on 02/22/2016

Product Description: Epoxy curing agent

	(Contd. of page 7)
 Packing group DOT, ADR, IMDG, IATA 	III
· Environmental hazards:	Product contains environmentally hazardous substances: Fatty Acids, C18-unsatd, dimers, reaction products with polyethylenepolyamines
· Marine pollutant:	Yes Symbol (fish and tree)
 Special marking (ADR): Special marking (IATA): 	Symbol (fish and tree) Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles
 Danger code (Kemler): EMS Number: 	9 F-A,S-F
 Transport in bulk according to Annex I MARPOL73/78 and the IBC Code 	l of Not applicable.
· Transport/Additional information:	
 DOT Quantity limitations 	On passenger aircraft/rail: No limit On cargo aircraft only: No limit
· Remarks:	Special marking with the symbol (fish and tree).
 ADR Excepted quantities (EQ) 	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
 IMDG Limited quantities (LQ) 	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (FATTY ACIDS, C18- UNSATD, DIMERS, REACTION PRODUCTS WITH POLYETHYLENEPOLYAMINES), 9, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 9)

US



Version 3

Reviewed on 02/22/2016

Product Description: Epoxy curing agent

· Proposition 6	ā	(Contd. of page 8
-	own to cause cancer:	
	redients is listed.	
· Chemicals kn	own to cause reproductive toxicity for	or females:
	redients is listed.	
· Chemicals kn	own to cause reproductive toxicity for	or males:
	redients is listed.	
	own to cause developmental toxicity	r.
	redients is listed.	· •
· Carcinogenic		
-	nental Protection Agency)	
•	redients is listed.	
	d Limit Value established by ACGIH redients is listed.)
•		
	tional Institute for Occupational Safe	ety and Health)
• GHS label ele	redients is listed.	
GHS05 GHS	07	
· Signal word D	anger	
Fatty Acids, C1	nining components of labeling: 8-unsatd, dimers, reaction products win ethylenediamin ments	th polyethylenepolyamines
	severe skin burns and eye damage. se an allergic skin reaction.	
P260	Do not breathe dusts or mists.	ediately all contaminated clothing. Rinse skin wit
		ater for several minutes. Remove contact lenses, insing.
P310	Immediately call a POISON CENTI	ER/doctor.
P405 P501	Store locked up. Dispose of contents/container in ac	ccordance with local/regional/national/international
	regulations.	
· Chemical safe	ty assessment: A Chemical Safety As	sessment has not been carried out.
6 Other inform	nation	
		However, this shall not constitute a guarantee for



Version 3

Reviewed on 02/22/2016

Product Description: Epoxy curing agent

	(Contd. of page 9
Department issuing SDS: Product safety department	
Contact: Mr Eleazar dela Cruz	
Date of preparation / last revision 02/22/2016 / 2	
Abbreviations and acronyms:	
ADDIEVIATIONS and actionymis. ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agre	amont concerning the
International Carriage of Dangerous Goods by Road)	ement concerning the
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TVL: Treshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B	
Skin Controsion/irritation, Hazard Category 2	
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	