

# Safety Data Sheet acc. to OSHA HCS

Version 2

Reviewed on 09/05/2017

# Printing date 09/05/2017 1 Identification

- · Product identifier
- · Product Description: Epoxy Curing Agent
- · Product code: Cardolite NX-4943
- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cardolite Corporation 11 Deer Park Drive, Suite 124 Monmouth Junction, NJ 08852 USA Tel: (973) 344-5015 Regulatory@cardolite.com
- · Information department: Product safety department
- Emergency telephone number: 24 Hour Emergency: 800-424-9300 CHEMTREC

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: 2,2'-Iminodiethylamine
   3,6,9-Triazaundecamethylenediamine
   Hazard statements
- H332 Harmful if inhaled.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.

(Contd. on page 2)

ÚS



Printing date 09/05/2017

Reviewed on 09/05/2017

# Product Description: Epoxy Curing Agent

	(Contd. of page 1)
<ul> <li>Precautionary sta</li> </ul>	
P260	Do not breathe dusts or mists.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Classification sys</b>	•
NFPA ratings (sc	
Fire =	th = 3 = 1 stivity = 0
<ul> <li>HMIS-ratings (sca</li> </ul>	ale 0 - 4)
FIRE 1 Fire	lth = 3 = 1 .ctivity = 0
• Other hazards • Results of PBT at • PBT: Not applicab • vPvB: Not applica	

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

# Dangerous Components:

5	•	
	2,2'-Iminodiethylamine	5.0 - 8.0%
	♦ Acute Tox. 2, H330; ♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; STOT SE 3, H335	
112-57-2	3,6,9-Triazaundecamethylenediamine Skin Corr. 1B, H314; () Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	~ 1.0%

# 4 First-aid measures

## · Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

(Contd. of page 2)

# Cardolite Chemistry for Tomorrow

# Safety Data Sheet acc. to OSHA HCS

Printing date 09/05/2017

### Version 2

Reviewed on 09/05/2017

## Product Description: Epoxy Curing Agent

Information for doctor:

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters
- Promptly isolate the scene by removing all person from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- · Protective equipment: No special measures required.

# 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



Printing date 09/05/2017

Version 2

Reviewed on 09/05/2017

# Product Description: Epoxy Curing Agent

(Contd. of page 3) · Control parameters · Components with limit values that require monitoring at the workplace: The following constituents are the only constituents of the product which have a PEL. TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits. 111-40-0 2,2'-Iminodiethylamine REL Long-term value: 4 mg/m<sup>3</sup>, 1 ppm Skin TLV Long-term value: 4.2 mg/m<sup>3</sup>, 1 ppm Skin 112-57-2 3,6,9-Triazaundecamethylenediamine WEEL Long-term value: 5 mg/m<sup>3</sup> Skin: DSEN • Additional information: The lists that were valid during the creation were used as basis. Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective aloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

US

(Contd. of page 4)



Printing date 09/05/2017

# Safety Data Sheet acc. to OSHA HCS

Version 2

Reviewed on 09/05/2017

#### Product Description: Epoxy Curing Agent

· Body protection: Protective work clothing

9 Physical and chemical properties				
<ul> <li>Information on basic physical and o</li> <li>General Information</li> <li>Appearance:</li> </ul>				
Form:	Liquid			
Color: · Odor:	Brown Amine-like			
· Odor threshold:	Not determined.			
· pH-value at 25 ℃ (77 °F):	10,5			
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.			
· Flash point:	104°C (219.2 °F)			
· Flammability (solid, gaseous):	Not applicable.			
· Ignition temperature:				
Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.			
· Vapor pressure:	Not determined.			
<ul> <li>Density at 25 ℃ (77 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0,99935g/cm <sup>3</sup> (8.33958 lbs/gal) Not determined. Not determined. Not determined.			
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Not miscible or difficult to mix.			
· Partition coefficient (n-octanol/wate	er): Not determined.			
<ul> <li>Viscosity: Dynamic at 25 °C (77 °F): Kinematic:</li> <li>Other information</li> </ul>	1800cps Not determined. No further relevant information available.			

# 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 6)

US



# Safety Data Sheet acc. to OSHA HCS

Version 2

Reviewed on 09/05/2017

Product Description: Epoxy Curing Agent

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- $\cdot$  Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:

Printing date 09/05/2017

• LD/LC50 values that are relevant for classification: Irritating to eyes and skin.

# 111-40-0 2,2'-Iminodiethylamine

	,	· · · <b>,</b> · · ·
Oral	LD50	1080 mg/kg (rat)
Dermal	LD50	1090 mg/kg (rabbit)
Inhalative	LC50/4 h	0.3 mg/l (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

# · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12** Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- $\cdot$  Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

(Contd. of page 5)

US

(Contd. of page 6)

# Cardolite Chemistry for Tomorrow

# Safety Data Sheet acc. to OSHA HCS

Version 2

Reviewed on 09/05/2017

#### Product Description: Epoxy Curing Agent

· Other adverse effects No further relevant information available.

# 13 Disposal considerations


#### Waste treatment methods

#### · Recommendation:

Printing date 09/05/2017

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.





Printing date 09/05/2017

Version 2

Reviewed on 09/05/2017

## Product Description: Epoxy Curing Agent

	(Contd. of page 7
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
<ul> <li>Segregation groups</li> </ul>	Alkalis
· Transport in bulk according to Annex	c II of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN2735, Amines, liquid, corrosive, n.o.s (Diethylenetriamine), 8, III

# 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

#### · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

## · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)



Version 2

Printing date 09/05/2017

# Reviewed on 09/05/2017

# Product Description: Epoxy Curing Agent

(Contd. of page 8)

US

· Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labeling: 2,2'-Iminodiethylamine
- 3,6,9-Triazaundecamethylenediamine
- Hazard statements H332 Harmful if inhaled.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- · Precautionary statements
- P260 Do not breathe dusts or mists.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- Contact: Mr Eleazar dela Cruz
- · Date of preparation / last revision 09/05/2017 / 1
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TVL: Treshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 (Contd. on page 10)



# Safety Data Sheet acc. to OSHA HCS

Printing date 09/05/2017

#### Version 2

Reviewed on 09/05/2017

### **Product Description: Epoxy Curing Agent**

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 9)

US -