

Printing date 21.09.2017

Version number 2

Revision: 21.09.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking	
· 1.1 Product identifier	
· Trade name: Multipurpose Resin Modifier	
 Article number: Cardolite UltraLITE 2023 CAS Number: 8007-24-7 EC number: 700-991-6 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites Product category PC9a Coatings and paints, thinners, paint removers Application of the substance / the mixture Resin Coating 	
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: CARDOLITE SPECIALTY CHEMICALS EUROPE N.V. Wijmenstraat 21 K , Bus 2 9030 Mariakerke – Gent Tel. : +32 9 265.88.26 (Belgium) Fax. : +32 9 265.88.24 (Belgium) regulatory@cardolite.com eumsds@cardolite.com 	
 Further information obtainable from: Product safety department 1.4 Emergency telephone number: During business hours: +32 9 265.88.26 (Belgium) 	
SECTION 2: Hazards identification	_
 · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 	
GHS05 corrosion	
Eye Dam. 1 H318 Causes serious eye damage.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed.	
Acute Tox. 4 H312 Harmful in contact with skin.	
Skin Irrit. 2 H315 Causes skin irritation.	
Skin Sens. 1A H317 May cause an allergic skin reaction.	
 • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. 	
(Contd. on page 2)	

(Contd. on page 2) EU



Printing date 21.09.2017

Version number 2

Revision: 21.09.2017

Trade name: Multipurpose Resin Modifier

· Hazard pictograms	(Contd. of page 1)
GHS05 GHS07	
· Signal word Danger	
	components of labelling:
Cashew (Anacardium) • Hazard statements	occidentale) Nutshell Extract, decarboxylated, Distilled
	swallowed or in contact with skin.
H315 Causes sl	kin irritation.
H318 Causes se	erious eye damage.
H317 May caus	e an allergic skin reaction.
 Precautionary statem 	ents
	edical advice is needed, have product container or label at hand.
	p out of reach of children.
	ad label before use.
	id breathing dust/fume/gas/mist/vapours/spray.
	ar protective gloves/protective clothing/eye protection/face protection.
	N EYES: Rinse cautiously with water for several minutes. Remove contact
	ses, if present and easy to do. Continue rinsing.
	nediately call a POISON CENTER/doctor.
	cific treatment (see on this label). Dose of contents/container in accordance with local/regional/national/international
	ulations.
· 2.3 Other hazards	
· Results of PBT and v	PvB assessment

Results of PBT and vPvB assessment

- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

- · CAS No. Description
- 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled
- · Identification number(s)
- · EC number: 700-991-6

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)



Printing date 21.09.2017

Version number 2

Revision: 21.09.2017

(Contd. of page 2)

Trade name: Multipurpose Resin Modifier

· After swallowing: Call for a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available. • 5.3 Advice for firefighters

Promptly isolate the scene by removing all person from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. • 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed and in a well ventilated place.

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace: Not required.

(Contd. on page 4)

EU



Printing date 21.09.2017

Version number 2

Revision: 21.09.2017

Trade name: Multipurpose Resin Modifier

DNELs		
		w (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled
Oral		0.25 mg/kg/day (General Population)
Dermal	DNEL	0.25 mg/kg/day (General Population)
		0.5 mg/kg/day (Workers)
Inhalative	DNEL	0.2 mg/m3 (General Population)
		0.88 mg/m3 (Workers)
PNECs		
8007-24-7	' Cashe	w (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled
PNEC 3	Jg∕l (Aq	ua (freshwater))
30	µg/l (A	qua (intermittent release))
10	mg/kg	(Oral)
0.9	97 mg/k	g (Sediment (freshwater))
0.0)88 mg/	/kg (Sediment (marine water))
6.7	71 mg/k	g (Soil)
Additiona	al inforr	nation: The lists valid during the making were used as basis.
Personal General p Keep awa Immediate	protection protection by from freely remon nds befo	ntrols tive equipment: ve and hygienic measures: foodstuffs, beverages and feed. ove all soiled and contaminated clothing ore breaks and at the end of work. In the skin.
Personal General p Keep awa Immediate Wash han Avoid com Avoid com Respirato In case of	protecti y from f ely remo nds befo tact with tact with ory prot f brief e use self	tive equipment: ve and hygienic measures: foodstuffs, beverages and feed. by all soiled and contaminated clothing by bre breaks and at the end of work. In the skin. In the eyes and skin. frection: exposure or low pollution use respiratory filter device. In case of intensive or long f-contained respiratory protective device.
Personal General p Keep awa Immediate Wash han Avoid com Avoid com Respirato In case of exposure Protection	protecti y from f ely remo nds befo tact with tact with ory prot f brief e use self n of ha	tive equipment: ve and hygienic measures: foodstuffs, beverages and feed. by all soiled and contaminated clothing by bre breaks and at the end of work. In the skin. In the eyes and skin. frection: exposure or low pollution use respiratory filter device. In case of intensive or long f-contained respiratory protective device.
Personal General p Keep awa Immediate Wash han Avoid com Avoid com Respirato In case of exposure Protection The glove Due to m preparatio Selection degradatio Material of	protecti y from f ely remo dos befo tact with tact with ory prot f brief e use self n of ha Protect materia issing f on/ the c of the on	tive equipment: ve and hygienic measures: foodstuffs, beverages and feed. fore breaks and at the end of work. In the skin. In the eyes and skin. fection: exposure or low pollution use respiratory filter device. In case of intensive or long f-contained respiratory protective device. In case of intensive or long f-contained respirator
Personal General p Keep awa Immediate Wash han Avoid com Avoid com Respirato In case of exposure Protection Protection The glove Due to m preparatio Selection degradatio Material c The selec quality and Penetratio	protecti y from f ely remo hds befo tact with tact with ory prot f brief e use self n of ha Protect materia issing f on/ the c of the on of the tion of t d varies on time	tive equipment: ve and hygienic measures: ioodstuffs, beverages and feed. ove all soiled and contaminated clothing ore breaks and at the end of work. In the skin. In the eyes and skin. rection: exposure or low pollution use respiratory filter device. In case of intensive or long f-contained respiratory protective device. Inds: ive gloves al has to be impermeable and resistant to the product/ the substance/ the preparation tests no recommendation to the glove material can be given for the product/ the hemical mixture. glove material on consideration of the penetration times, rates of diffusion and the set of glove material on further marks from manufacturer to manufacturer. e of glove material
Personal General p Keep awa Immediate Wash han Avoid com Avoid com Respirato In case of exposure Protection Protection The glove Due to m preparatio Selection degradatio Material c The selec quality and Penetratio	protecti y from f ely remo hds befo tact with tact with ory prot f brief e use self n of ha Protect materia issing f on/ the c of glove tion of t d varies on time	tive equipment: ve and hygienic measures: ioodstuffs, beverages and feed. ove all soiled and contaminated clothing ore breaks and at the end of work. In the skin. In the skin. In the eyes and skin. Rection: exposure or low pollution use respiratory filter device. In case of intensive or long f-contained respiratory protective device. Inds: ive gloves al has to be impermeable and resistant to the product/ the substance/ the preparation tests no recommendation to the glove material can be given for the product/ the hemical mixture. glove material on consideration of the penetration times, rates of diffusion and the suitable gloves does not only depend on the material, but also on further marks from manufacturer to manufacturer.

– EU -



Printing date 21.09.2017

Version number 2

Revision: 21.09.2017

(Contd. of page 4)

Trade name: Multipurpose Resin Modifier

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties General Information · Appearance: Form: Liquid Colour: Yellow tint · Odour: Mineral-oil-like · Odour threshold: Not determined. 2.2 - 3.5 · pH-value at 25 °C: · Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined. · Flash point: > 260 ℃ · Flammability (solid, gas): Not applicable. · Ignition temperature: **Decomposition temperature:** Not determined. · Auto-ignition temperature: Not determined. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. · Vapour pressure: Not determined. · Density at 25 °C: 0,956 g/cm³ · Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with water at 20 °C: 0,000304 g/l · Partition coefficient: n-octanol/water: Not determined. · Viscosity: Dynamic at 25 ℃: 40 - 60 cps Kinematic: Not determined. 9.2 Other information No further relevant information available.

(Contd. on page 6)

EU



Printing date 21.09.2017

Version number 2

Revision: 21.09.2017

Trade name: Multipurpose Resin Modifier

(Contd. of page 5)

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed or in contact with skin.

· LD/LC50 values relevant for classification:

Irritating to eyes and skin.

8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled

Oral LD50 500 mg/kg (rat)

Dermal LD50 >2000 mg/kg (daphnia)

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled

- EC50 1300 mg/l (Algae)
- LL50 1000 mg/l (Fish)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

EU



Printing date 21.09.2017

Version number 2

Revision: 21.09.2017

(Contd. of page 6)

Trade name: Multipurpose Resin Modifier

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

 14.1 UN-Number ADR, ADN, IMDG, IATA 	Non-hazardous for transport
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Not regulated as dangerous goods Non-hazardous for transport
· 14.3 Transport hazard class(es)	N/A
· ADR, ADN, IMDG, IATA · Class	Non-hazardous for transport
 14.4 Packing group ADR, IMDG, IATA 	N/A Non-hazardous for transport
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Anno Marpol and the IBC Code 	ex II of Not applicable.
· UN "Model Regulation":	UN-, -

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 8)



Printing date 21.09.2017

Version number 2

Revision: 21.09.2017

Trade name: Multipurpose Resin Modifier

· Hazard picto	grams	(Contd. of page 7)
GHS05 GHS	507	
· Signal word	Danger	
	mining components of labelling: cardium occidentale) Nutshell Extract, decarboxylated, Distilled	
	armful if swallowed or in contact with skin.	
H315 C	auses skin irritation.	
	auses serious eye damage.	
	lay cause an allergic skin reaction.	
 Precautionary 		
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read label before use.	
P261 P280	Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection	on
	2338 IF IN EYES: Rinse cautiously with water for several minutes. Re	
1 303+1 331+1	lenses, if present and easy to do. Continue rinsing.	move contact
P310	Immediately call a POISON CENTER/doctor.	
P321	Specific treatment (see on this label).	
P501	Dispose of contents/container in accordance with local/regional/nation	al/international
	regulations.	
· REGULATION	I (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3	

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- Contact: Mr Eleazar dela Cruz
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A