

Printing date 12/29/2017 Version 4 Reviewed on 12/29/2017

## 1 Identification

- · Product identifier
- · Product Description: Epoxy Curing Agent
- · Product code: Cardolite NX-5454
- Application of the substance / the mixture Coating
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Cardolite Corporation

11 Deer Park Drive, Suite 124 Monmouth Junction, NJ 08852

USA

Tel: (973) 344-5015 Regulatory@cardolite.com

- · Information department: Product safety department
- · Emergency telephone number: 24 Hour Emergency: 800-424-9300 CHEMTREC

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

H341 Suspected of causing genetic defects. Muta. 2

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



**GHS05 Corrosion** 

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS05 GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled m-Phenylenebis(methylamine)

Phenol

(Contd. on page 2)

(Contd. of page 1)



# Safety Data Sheet acc. to OSHA HCS

Printing date 12/29/2017 Version 4 Reviewed on 12/29/2017

## **Product Description: Epoxy Curing Agent**

3-Aminopropyldimethylamine

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*2 Fire = 1

Reactivity = 0

- · Other hazards Not applicable
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerou	s Components:	
8007-24-7	Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled	17.0 - 23.0%
	Eye Dam. 1, H318; <b>(</b> ) Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1A, H317	
90-72-2	2,4,6-Tris(Dimethylaminomethyl)Phenol	~ 4.0%
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
1477-55-0	m-Phenylenebis(methylamine)	3.0 - 4.0%
	Skin Corr. 1B, H314;	
108-95-2	Phenol  ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ Muta. 2, H341; STOT RE 2, H373; ♦ Skin Corr. 1B, H314	~ 2.0%

(Contd. on page 3)



Printing date 12/29/2017 Version 4 Reviewed on 12/29/2017

**Product Description: Epoxy Curing Agent** 

## 4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Promptly isolate the scene by removing all person from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

• Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)



Printing date 12/29/2017 Version 4 Reviewed on 12/29/2017

**Product Description: Epoxy Curing Agent** 

· Protective Action Criteria for Chemicals	(Contd. of page 3
· PAC-1:	
90-72-2 2,4,6-Tris(Dimethylaminomethyl)Phenol	6.5 mg/m <sup>3</sup>
108-95-2 Phenol	15 ppm
109-55-7 3-Aminopropyldimethylamine	1.2 ppm
· PAC-2:	
90-72-2 2,4,6-Tris(Dimethylaminomethyl)Phenol	72 mg/m <sup>3</sup>
108-95-2 Phenol	23 ppm
109-55-7 3-Aminopropyldimethylamine	13 ppm
· PAC-3:	
90-72-2 2,4,6-Tris(Dimethylaminomethyl)Phenol	430 mg/m <sup>3</sup>
108-95-2 Phenol	200 ppm
109-55-7 3-Aminopropyldimethylamine	89 ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

Keep container tightly closed and in a well ventilated place.

- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

Attii	is time, the other constituents have no known exposure limits.
108-	95-2 Phenol
PEL	Long-term value: 19 mg/m³, 5 ppm Skin
REL	Long-term value: 19 mg/m³, 5 ppm Ceiling limit value: 60* mg/m³, 15.6* ppm *15-min; Skin

(Contd. on page 5)



Printing date 12/29/2017 Version 4 Reviewed on 12/29/2017

**Product Description: Epoxy Curing Agent** 

(Contd. of page 4)

TLV Long-term value: 19 mg/m³, 5 ppm

Skin; BEI

## · Ingredients with biological limit values:

#### 108-95-2 Phenol

BEI 250 mg/g creatinine

Medium: urine Time: end of shift

Parameter: Phenol with hydrolysis (background, nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

Use local exhaust ventilation. Suitable respiratory equipment should be used in cases of insufficient ventilation.

## · Personal protective equipment:

## · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### Protection of hands:



### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eve protection:



Tightly sealed goggles

· Body protection: Protective work clothing



Printing date 12/29/2017 Version 4 Reviewed on 12/29/2017

**Product Description: Epoxy Curing Agent** 

(Contd. of page 5)

9 Physical	and c	hemical	propert	ies

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:
Color:
Color:
Amine-like
Odor threshold:
Not determined.

• **pH-value at 25 °C (77 °F):** 10,5

· Change in condition

Melting point/Melting range:<br/>Boiling point/Boiling range:Undetermined.• Flash point:101 ℃ (213.8 ℉)

Flammability (solid, gaseous): Not applicable.

· Ignition temperature:

**Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

Danger of explosion:
 Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

· Vapor pressure: Not determined.

Vapor pressure: Not determined.
Density at 25 °C (77 °F): 0,98977 g/cm³ (8.25963 lbs/gal)

Relative density
Vapor density
Evaporation rate
Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic at 25 °C (77 °F): 1050 cps Kinematic: Not determined.

• Other information No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Product is stable.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.

(Contd. on page 7)



Printing date 12/29/2017 Version 4 Reviewed on 12/29/2017

**Product Description: Epoxy Curing Agent** 

(Contd. of page 6)

· Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification:

Irritating to eyes and skin.

•	•	
8007-24-7	Cashew (	(Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rat)
90-72-2 2,	4,6-Tris(D	imethylaminomethyl)Phenol
Oral	LD50	2,169 mg/kg (rat)
Dermal	LD50	1,260 mg/kg (rabbit)
1477-55-0	m-Pheny	lenebis(methylamine)
Oral	LD50	1,040 mg/kg (rat)
Inhalative	LC50/4 h	2.4 mg/l (rat)
108-95-2	Phenol	
Oral	LD50	317 mg/kg (rat)
Dermal	LD50	850 mg/kg (rabbit)
109-55-7	3-Aminopr	ropyldimethylamine
Oral	LD50	1,870 mg/kg (rat)
Dermal	LD50	490 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

İrritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
108-95-2 Phenol	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

US



Printing date 12/29/2017 Version 4 Reviewed on 12/29/2017

**Product Description: Epoxy Curing Agent** 

(Contd. of page 7)

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

## 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled

EC50 1,300 mg/l (Algae)

LL50 1,000 mg/l (Fish)

- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, ADN, IMDG, IATA	Non-hazardous for transport
UN proper shipping name	Not regulated as dangerous goods.
DOT, ADR, ADN, IMDG, IATA	Non-hazardous for transport
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	Non-hazardous for transport
Label	-
ADR	
Class	Non-hazardous for transport
	Miscellaneous dangerous substances and articles
Label	- -

(Contd. on page 9)



Printing date 12/29/2017 Version 4 Reviewed on 12/29/2017

**Product Description: Epoxy Curing Agent** 

	(Contd. of page 8
· ADN/R Class:	Non-hazardous for transport
· Packing group · DOT, ADR, IMDG, IATA	Non-hazardous for transport
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
<ul> <li>Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code</li> </ul>	f Not applicable.
UN "Model Regulation":	Non-hazardous for transport

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

108-95-2 Phenol

· Section 313 (Specific toxic chemical listings):

108-95-2 Phenol

· TSCA (Toxic Substances Control Act):

Substance is listed and covered by Significant New Use Rule at U.S. 40 CFR 721.10058

All ingredients are listed.

· TSCA new (21st Century Act) (Substances not listed)

1477-55-0 m-Phenylenebis(methylamine)

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

· EPA (Environmental Protection Agency)

108-95-2 Phenol

D, I

· TLV (Threshold Limit Value established by ACGIH)

108-95-2 Phenol

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)



Printing date 12/29/2017 Version 4 Reviewed on 12/29/2017

**Product Description: Epoxy Curing Agent** 

(Contd. of page 9)

### Hazard pictograms







GHS05 GHS07 GHS08

### · Signal word Danger

## Hazard-determining components of labeling:

Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled

m-Phenylenebis(methylamine)

Phenol

3-Aminopropyldimethylamine

#### · Hazard statements

H315 Causes skin irritation.

H318 Causes serious eve damage.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

## · Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. Specific treatment (see on this label). P321

Store locked up. P405

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Product safety department
- · Contact: Mr Eleazar dela Cruz
- Date of preparation / last revision 12/29/2017 / 3

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Contd. on page 11)



Version 4 Reviewed on 12/29/2017 Printing date 12/29/2017

## **Product Description: Epoxy Curing Agent**

TVL: Treshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit BEL: Biological Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Skin Sens. 1B: Skin sensitisation – Category 1B Muta. 2: Germ cell mutagenicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

(Contd. of page 10)