

Printing date 14.02.2018

Version number 2

Revision: 14.02.2018

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>CNSL Resin</u>
 Article number: Cardolite NC-603 CAS Number: 8007-24-7 EC number: 700-991-6 Registration number 01-2119502450-57-0000 1.2 Relevant identified uses of the substance or mixture and uses advised against Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites Product category PC9a Coatings and paints, thinners, paint removers Application of the substance / the mixture Resin Coating 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:
CARDOLITE SPECIALTY CHEMICALS EUROPE N.V. Wijmenstraat 21 K, Bus 2 9030 Mariakerke – Gent Tel. : +32 9 265.88.26 (Belgium) Fax. : +32 9 265.88.24 (Belgium) regulatory@cardolite.com eumsds@cardolite.com • Further information obtainable from: Product safety department • 1.4 Emergency telephone number: During business hours: +32 9 265.88.26 (Belgium)
SECTION 2: Hazards identification
 · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008
GHS05 corrosion
Eye Dam. 1 H318 Causes serious eye damage.
GHS07
Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H312 Harmful in contact with skin.
Skin Irrit. 2 H315 Causes skin irritation.
Skin Sens. 1A H317 May cause an allergic skin reaction.
 · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008
The substance is classified and labelled according to the CLP regulation.



Printing date 14.02.2018

Version number 2

Revision: 14.02.2018

Trade name: CNSL Resin

Hazard pic	tograms (Contd. of page 1)
$\mathbf{\Lambda}$	
T S	
	\checkmark
GHS05 G	aHS07
Signal wore	d Danger
Hazard-det	ermining components of labelling:
	nacardium occidentale) Nutshell Extract, decarboxylated, Distilled
Hazard stat	
H302+H312	2 Harmful if swallowed or in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
Precaution	ary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	v

- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled 100%
- · Identification number(s)
- EC number: 700-991-6

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Call for a doctor immediately.

(Contd. on page 3)

EU



Printing date 14.02.2018

Version number 2

Revision: 14.02.2018

(Contd. of page 2)

Trade name: CNSL Resin

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- **5.3 Advice for firefighters** Promptly isolate the scene by removing all person from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed and in a well ventilated place.
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 14.02.2018

Version number 2

Revision: 14.02.2018

Trade name: CNSL Resin

8.1 Con	trol para	(Contd. of page
		limit values that require monitoring at the workplace: Not required.
DNELs		
8007-24	-7 Cashe	ew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled
Oral	DNEL	0.25 mg/kg/day (General Population)
Dermal	DNEL	0.25 mg/kg/day (General Population)
		0.5 mg/kg/day (Workers)
Inhalativ	e DNEL	0.2 mg/m3 (General Population)
		0.88 mg/m3 (Workers)
PNECs		
8007-24	-7 Cashe	ew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled
PNEC 3	3 μg/l (Aq	ua (freshwater))
3	30 µg/l (A	qua (intermittent release))
PNEC 1	0 mg/kg	(Oral)
0).97 mg/k	g (Sediment (freshwater))
0).088 mg/	/kg (Sediment (marine water))
E	6.71 mg/k	ig (Soil)
General Keep aw Immedia Wash ha Avoid co Avoid co Respira In case exposure	protecti vay from the ately remo- ands before ontact with tory prot of brief e	exposure or low pollution use respiratory filter device. In case of intensive or long f-contained respiratory protective device.
Due to	ve materia missing	ive gloves al has to be impermeable and resistant to the product/ the substance/ the preparation tests no recommendation to the glove material can be given for the product/ t chemical mixture.
Selectio degrada Materia	n of the tion I of glove	glove material on consideration of the penetration times, rates of diffusion and t

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Printing date 14.02.2018

Version number 2

Revision: 14.02.2018

(Contd. of page 4)

Trade name: CNSL Resin

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

• 9.1 Information on basic physical and chemical properties • General Information • Appearance: Form: Liquid Colour: Dark brown • Odour: Mineral-oil-like • Odour threshold: Not determined. • pH-value at 25 °C: >6.0 • Change in condition Undetermined. Melting point/freezing point: Undetermined. • Flash point: > 260 °C • Flash point: > 260 °C • Flash point: Not applicable. • Decomposition temperature: Not determined. • Auto-ignition temperature: Not determined. • Explosive properties: Product does not present an explosion hazard. • Explosion limits: Lower:: Lower: Not determined. Upper: Not determined.	
Form:LiquidColour:Dark brownOdour:Mineral-oil-likeOdour threshold:Not determined.• pH-value at 25 °C:>6.0• Change in condition Melting point/freezing point:Undetermined.• Initial boiling point and boiling range:Undetermined.• Flash point:> 260 °C• Flammability (solid, gas):Not applicable.• Decomposition temperature:Not determined.• Auto-ignition temperature:Not determined.• Explosive properties:Product does not present an explosion hazard.• Explosion limits: Lower: Upper:Not determined.Not determined.Not determined.	
Colour:Dark brownOdour:Mineral-oil-likeOdour threshold:Not determined.• pH-value at 25 °C:>6.0• Change in condition Melting point/freezing point: Initial boiling point and boiling range: Undetermined.Undetermined.• Flash point:> 260 °C• Flash point:> 260 °C• Flammability (solid, gas):Not applicable.• Decomposition temperature:Not determined.• Auto-ignition temperature:Not determined.• Explosive properties:Product does not present an explosion hazard.• Explosion limits: Lower: Upper:Not determined.Not determined.Not determined.	
· Odour threshold: Not determined. · pH-value at 25 °C: >6.0 · Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined. · Flash point: > 260 °C · Flammability (solid, gas): Not applicable. · Decomposition temperature: Not determined. · Auto-ignition temperature: Not determined. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: Not determined. Lower: Not determined. Not determined. Not determined.	
· pH-value at 25 °C: >6.0 · Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined. · Flash point: > 260 °C · Flash point: > 260 °C · Flammability (solid, gas): Not applicable. · Decomposition temperature: Not determined. · Auto-ignition temperature: Not determined. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: Not determined. Lower: Not determined. Vot determined. Not determined.	
 Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined. Flash point: > 260 °C Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Auto-ignition temperature: Not determined. Explosive properties: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Not determined. Not determined. 	
Melting point/freezing point:Undetermined.Initial boiling point and boiling range:Undetermined.· Flash point:> 260 °C· Flammability (solid, gas):Not applicable.· Decomposition temperature:Not determined.· Auto-ignition temperature:Not determined.· Explosive properties:Product does not present an explosion hazard.· Explosion limits:Not determined.Lower:Not determined.· Not determined.Not determined.	
Initial boiling point and boiling range: Undetermined. · Flash point: > 260 °C · Flammability (solid, gas): Not applicable. · Decomposition temperature: Not determined. · Auto-ignition temperature: Not determined. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: Not determined. Lower: Not determined. Vot determined. Not determined.	
• Flammability (solid, gas): Not applicable. • Decomposition temperature: Not determined. • Auto-ignition temperature: Not determined. • Explosive properties: Product does not present an explosion hazard. • Explosion limits: Not determined. Lower: Not determined. Upper: Not determined.	
• Decomposition temperature: Not determined. • Auto-ignition temperature: Not determined. • Explosive properties: Product does not present an explosion hazard. • Explosion limits: Lower: Lower: Not determined. Upper: Not determined.	
• Auto-ignition temperature: Not determined. • Explosive properties: Product does not present an explosion hazard. • Explosion limits: Lower: Lower: Not determined. Upper: Not determined.	
• Explosive properties: Product does not present an explosion hazard. • Explosion limits: Lower: Lower: Not determined. Upper: Not determined.	
Explosion limits: Lower: Not determined. Upper: Not determined.	
Lower: Not determined. Upper: Not determined.	
Upper: Not determined.	
• Vapour pressure at 25 ℃: 0.0000005 hPa	
• Density at 25 °C: 0.956 g/cm ³	
• Relative density Not determined.	
Vapour density Not determined.	
• Evaporation rate Not determined.	
 Solubility in / Miscibility with water at 20 °C: 0.000304 g/l 	
· Partition coefficient: n-octanol/water: Not determined.	
· Viscosity:	
Dynamic at 25 ℃: <600 cps	
Kinematic: Not determined. • 9.2 Other information No further relevant information available.	

(Contd. on page 6)



Printing date 14.02.2018

Version number 2

Revision: 14.02.2018

Trade name: CNSL Resin

(Contd. of page 5)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Product is stable.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if swallowed or in contact with skin.
- · LD/LC50 values relevant for classification:
- Irritating to eyes and skin.

8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled

Oral LD50 >2,000 mg/kg (rat)

- Dermal LD50 2,000 mg/kg (rat)
- · Primary irritant effect:
- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- CMB effects (carcinogenity, mutagenicity and t
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 Corm coll mutagenicity Record on queilable data, the classification griteria are not a
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled

- EC50 1,300 mg/l (Algae)
- LL50 1,000 mg/l (Fish)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

EU



Printing date 14.02.2018

Version number 2

Revision: 14.02.2018

(Contd. of page 6)

Trade name: CNSL Resin

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14:	Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Non-hazardous for transport
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Not regulated as dangerous goods. Non-hazardous for transport
· 14.3 Transport hazard class(es)	
· ADR	
· Class	Non-hazardous for transport Miscellaneous dangerous substances and articles.
· ADN/R Class:	Non-hazardous for transport
 14.4 Packing group ADR, IMDG, IATA 	Non-hazardous for transport
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anne	
Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Non-hazardous for transport

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 8)

EU



Printing date 14.02.2018

Version number 2

Revision: 14.02.2018

Trade name: CNSL Resin

Hazard pictograms (Contd. of page 7)
GHS05 GHS07
· Signal word Danger
Hazard-determining components of labelling: Cashaw (Apparentium assidentate) Nutshall Extract describes ulsted. Distilled
Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled • Hazard statements
H302+H312 Harmful if swallowed or in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
• Precautionary statements
P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.
P102 Read label before use.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P330 Rinse mouth.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
· Directive 2012/18/EU

- · Named dangerous substances ANNEX I Substance is not listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Mr Eleazar dela Cruz
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

(Contd. on page 9)

ΕU



Printing date 14.02.2018

Version number 2

Revision: 14.02.2018

Trade name: CNSL Resin

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A (Contd. of page 8)

EU -