

Version 1

Reviewed on 07/20/2016

# **1 Identification**

- · Product identifier
- · Product Description: Epoxy reactive diluent
- · Product code: Cardolite NT-3009
- CAS Number: 120547-52-6
- · Application of the substance / the mixture Coating
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier: Cardolite Corporation
  - 11 Deer Park Drive, Suite 124 Monmouth Junction, NJ 08852 USA Tel: (609)-436-0902 Regulatory@cardolite.com
- · Information department: Product safety department
- Emergency telephone number: 24 Hour Emergency: 800-424-9300 CHEMTREC

# 2 Hazard(s) identification

· Classification of the substance or mixture GHS07 H315 Causes skin irritation. Skin Irrit. 2 Skin Sens. 1 H317 May cause an allergic skin reaction. · Label elements · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS07 · Signal word Warning Hazard statements H315 Causes skin irritation. H317 May cause an allergic skin reaction. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray P261 P280 Wear protective gloves. Specific treatment (see on this label). P321 Wash contaminated clothing before reuse. P363 P333+P313 If skin irritation or rash occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. (Contd. on page 2) US

(Contd. of page 1)



Version 1

Reviewed on 07/20/2016

### Product Description: Epoxy reactive diluent

· Classification system:

NFPA ratings (scale 0 - 4)

Health = 1 Fire = 1 Reactivity = 0

### · HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE1Fire = 1REACTIVITY0Reactivity = 0

### · Other hazards

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 120547-52-6 oxirane, 2-[(C12-13-alkyloxy)methyl] derivs.

### 4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters Promptly isolate the scene by removing all person from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Protective equipment: No special measures required.

(Contd. on page 3)

US



Version 1

Reviewed on 07/20/2016

Product Description: Epoxy reactive diluent

(Contd. of page 2)

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities Keep container tightly closed and in a well ventilated place.
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.

### • Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

(Contd. on page 4)

<sup>-</sup> US



Version 1

Reviewed on 07/20/2016

### Product Description: Epoxy reactive diluent

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

d rless determined. determined. etermined. etermined. applicable. applicable. determined. determined. determined.
rless determined. determined. etermined. etermined. applicable. determined. determined.
rless determined. determined. etermined. etermined. applicable. determined. determined.
determined. etermined. applicable. applicable. determined. determined.
determined. etermined. applicable. applicable. determined. determined.
etermined. applicable. applicable. determined. determined.
etermined. applicable. applicable. determined. determined.
etermined. applicable. applicable. determined. determined.
applicable. applicable. determined. determined.
applicable. determined. determined.
determined. determined.
determined.
determined.
uct does not present an explosion hazard.
determined.
determined.
determined.
5 g/cm <sup>3</sup> (7.469 lbs/gal)
determined.
determined.
determined.
niscible or difficult to mix.



Version 1

Reviewed on 07/20/2016

### Product Description: Epoxy reactive diluent

	(Contd. of page
· Viscosity:	
Dynamic at 25 ℃ (77 °F):	5 - 15 cps
Kinematic:	Not determined.
Solids content:	> 99 %
<ul> <li>Other information</li> </ul>	No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Product is stable.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification: Irritating to eyes and skin.
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

### · NTP (National Toxicology Program)

- Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

## 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 6)

-US

#### Safety Data Sheet acc. to OSHA HCS Cardolite Printing date 07/20/2016

Version 1

Reviewed on 07/20/2016

### Product Description: Epoxy reactive diluent

(Contd. of page 5) Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Non-hazardous for transport
<ul> <li>UN proper shipping name</li> <li>DOT, ADR, ADN, IMDG, IATA</li> </ul>	Non-hazardous for transport
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	Non-hazardous for transport
· ADR · Class	Non-hazardous for transport Miscellaneous dangerous substances and articles
<ul> <li>Packing group</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Non-hazardous for transport
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	II of Not applicable.
· UN "Model Regulation":	Non-hazardous for transport

## 15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

(Contd. on page 7)

US



Version 1

Reviewed on 07/20/2016

Product Description: Epoxy reactive diluent

	e is listed.
Proposit	
•	Is known to cause cancer:
	e is not listed.
Chemica	Is known to cause reproductive toxicity for females:
	e is not listed.
	Is known to cause reproductive toxicity for males:
	e is not listed.
	Is known to cause developmental toxicity:
	e is not listed.
Caroiner	enic categories
-	enic categories /ironmental Protection Agency)
	e is not listed.
	eshold Limit Value established by ACGIH)
•	e is not listed.
	a (National Institute for Occupational Safety and Health)
	e is not listed.
The subs	el elements tance is classified and labeled according to the Globally Harmonized System (GHS).
The subs Hazard p	
The subs Hazard p GHS07 Signal w Hazard s H315 Cau H317 Ma	tance is classified and labeled according to the Globally Harmonized System (GHS). ictograms ord Warning tatements uses skin irritation. y cause an allergic skin reaction.
The subs Hazard p GHS07 Signal w Hazard s H315 Cau H317 Ma Precautio	tance is classified and labeled according to the Globally Harmonized System (GHS). ictograms ord Warning tatements uses skin irritation. y cause an allergic skin reaction. onary statements
The subs Hazard p GHS07 Signal w Hazard s H315 Cau H317 May	ance is classified and labeled according to the Globally Harmonized System (GHS). ictograms ord Warning tatements uses skin irritation. y cause an allergic skin reaction. onary statements Avoid breathing dust/fume/gas/mist/vapors/spray
The subs Hazard p GHS07 Signal w Hazard s H315 Cau H317 Mai Precautio P261 P280 P321	ance is classified and labeled according to the Globally Harmonized System (GHS). ictograms ord Warning tatements uses skin irritation. y cause an allergic skin reaction. onary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Specific treatment (see on this label).
The subs Hazard p GHS07 Signal w Hazard s H315 Cau H317 Mai Precautio P261 P280 P321 P363	Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Specific treatment (see on this label). Wash contaminated clothing before reuse.
The subs Hazard p GHS07 Signal w Hazard s H315 Cau H317 Ma Precautio P261 P280 P321 P363	ance is classified and labeled according to the Globally Harmonized System (GHS). ictograms ord Warning tatements uses skin irritation. y cause an allergic skin reaction. onary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Specific treatment (see on this label). Wash contaminated clothing before reuse. 13 If skin irritation or rash occurs: Get medical advice/attention.
The subs Hazard p GHS07 Signal w Hazard s H315 Cau H317 Ma Precautio P261 P280 P321 P363 P333+P3 P501	ance is classified and labeled according to the Globally Harmonized System (GHS). ictograms ord Warning tatements uses skin irritation. y cause an allergic skin reaction. onary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Specific treatment (see on this label). Wash contaminated clothing before reuse.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Mr Eleazar dela Cruz
- · Date of preparation / last revision 07/20/2016 / -

(Contd. on page 8)



Version 1

Reviewed on 07/20/2016

# Product Description: Epoxy reactive diluent

(Contd. of p	age 7)
<ul> <li>Abbreviations and acronyms:</li> </ul>	
<ul> <li>ADDreviations and acronyms.</li> <li>ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerni International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>DOT: US Department of Transportation</li> <li>IATA: International Air Transport Association</li> <li>ACGIH: American Conference of Governmental Industrial Hygienists</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>NFPA: National Fire Protection Association (USA)</li> <li>HMIS: Hazardous Materials Identification System (USA)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>NIOSH: National Institute for Occupational Safety</li> <li>OSHA: Occupational Safety &amp; Health</li> <li>TVL: Treshold Limit Value</li> <li>PEL: Permissible Exposure Limit</li> <li>REL: Recommended Exposure Limit</li> <li>Skin Irrit. 2: Skin corrosion/irritation – Category 2</li> </ul>	ng the
Skin Sens. 1: Skin sensitisation – Category 1	
our one our onordered of our our of the out of the o	110
	US