

Version 3

Reviewed on 02/26/2018

1 Identification

Printing date 02/26/2018

- · Product identifier
- · Product Description: Epoxy Curing Agent
- · Product code: Cardolite LITE 2002
- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cardolite Corporation 11 Deer Park Drive, Suite 124 Monmouth Junction, NJ 08852 USA Tel: (973) 344-5015 Regulatory@cardolite.com
- · Information department: Product safety department
- · Emergency telephone number: 24 Hour Emergency: 800-424-9300 CHEMTREC

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Acute Tox. 4 H332 Harmful if inhaled.Skin Irrit. 2 H315 Causes skin irritation.Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: m-Phenylenebis(methylamine)
 3,6,9-Triazaundecamethylenediamine
 Hazard statements
- H332 Harmful if inhaled.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H317 May cause an allergic skin reaction.

(Contd. on page 2)



Version 3

Printing date 02/26/2018

Reviewed on 02/26/2018

Product Description: Epoxy Curing Agent

		(Contd. of page 1
· Precautionary		
P261	Avoid breathing dust/fume/gas/mist/vapors/spray	
P305+P351+P3	38 If in eyes: Rinse cautiously with water for several minutes. Remove c present and easy to do. Continue rinsing.	ontact lenses,
P310	Immediately call a poison center/doctor.	
P321	Specific treatment (see on this label).	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P501	Dispose of contents/container in accordance with local/regional/nation regulations.	nal/internationa
 Classification NFPA ratings (
	ealth = 2 re = 1	
	eactivity = 0	
· HMIS-ratings (scale 0 - 4)	
FIRE 1 F	lealth = 2 ire = 1 leactivity = 0	
• Other hazards • Results of PBT • PBT: Not applic • vPvB: Not appl		
3 Compositio	n/information on ingredients	
	acterization: Mixtures ixture of the substances listed below with nonhazardous additions.	
· Dangerous Co	mponents:	
1477-55-0 m-P	henylenebis(methylamine)	10.0 - 15.0%
(2)	Skin Corr. 1B, H314; () Acute Tox. 4, H302; Acute Tox. 4, H332; Skin s. 1B, H317	_
112-57-2 3.6.	9-Triazaundecamethylenediamine	~ 1.0%
		_

57-2 3,6,9- I riazaundecamethylenediamine
 Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

US



Printing date 02/26/2018

Version 3

Reviewed on 02/26/2018

(Contd. of page 2)

Product Description: Epoxy Curing Agent

Information for doctor:

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters
- Promptly isolate the scene by removing all person from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- · Protective equipment: Mouth respiratory protective device.

	precautions, protective equipment and emergency procedures tective equipment. Keep unprotected persons away.	
	nental precautions: Do not allow to enter sewers/ surface or ground wa	ater.
	and material for containment and cleaning up:	
	th liquid-binding material (sand, diatomite, acid binders, universal binde	ers, sawdust).
	alizing agent.	
Dispose of	contaminated material as waste according to item 13. dequate ventilation.	
	e to other sections	
	on 7 for information on safe handling.	
	on 8 for information on personal protection equipment.	
See Secti	on 13 for disposal information.	
· Protectiv	e Action Criteria for Chemicals	
· PAC-1:		
112-57-2	3,6,9-Triazaundecamethylenediamine	15 mg/m3
· PAC-2:		
110 57 0	3,6,9-Triazaundecamethylenediamine	130 mg/m3
112-57-2		
• PAC-3 :		

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Keep container tightly closed and in a well ventilated place.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

US



Version 3

Reviewed on 02/26/2018

(Contd. of page 3)

Product Description: Epoxy Curing Agent

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

Control parameters

Printing date 02/26/2018

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

112-57-2 3,6,9-Triazaundecamethylenediamine

WEEL Long-term value: 5 mg/m³ Skin; DSEN

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Cardolite Chemistry for Tomorrow

Printing date 02/26/2018

Safety Data Sheet acc. to OSHA HCS

Version 3

Reviewed on 02/26/2018

Product Description: Epoxy Curing Agent

· Body protection: Protective work clothing

9 Physical and chemical propert	ies
 Information on basic physical and ch General Information Appearance: 	
Form: Color:	Liquid Light yellow
· Odor:	Amine-like
· Odor threshold:	Not determined.
· pH-value at 25 °C (77 °F):	10.5
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.
· Flash point:	> 110 °C (>230 °F)
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not determined.
 Density at 25 °C (77 °F): Relative density Vapor density Evaporation rate 	0.98617 g/cm ³ (8.22959 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water)	: Not determined.
 · Viscosity: Dynamic at 25 ℃ (77 °F): Kinematic: · Other information 	450 cps Not determined. No further relevant information available.

10 Stability and reactivity

• Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

(Contd. of page 4)

[—]US



Version 3

Reviewed on 02/26/2018

Product Description: Epoxy Curing Agent

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Printing date 02/26/2018

• LD/LC50 values that are relevant for classification: Irritating to eyes and skin.

1477-55-0 m-Phenylenebis(methylamine)

Oral LD50 1,040 mg/kg (rat)

Inhalative LC50/4 h 2.4 mg/l (rat)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information


- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small guantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)



Version 3

Product Description: Epoxy Curing Agent

· Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

· Recommendation:

Printing date 02/26/2018

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, ADN, IMDG, IATA	Non-hazardous for transport
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Non-hazardous for transport
Transport hazard class(es)	
DOT, IMDG, IATA Class Label	Non-hazardous for transport -
ADR Class	Non-hazardous for transport Miscellaneous dangerous substances and articles
Label ADN/R Class:	- Non-hazardous for transport
Packing group DOT, ADR, IMDG, IATA	Non-hazardous for transport
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Danger code (Kemler): EMS Number:	-
Transport in bulk according to Anno MARPOL73/78 and the IBC Code	ex II of Not applicable.
UN "Model Regulation":	UN-, -

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 8)



(Contd. of page 6)



Printing date 02/26/2018

Version 3

Reviewed on 02/26/2018

Product Description: Epoxy Curing Agent

Section 313 (3	pecific toxic chemical listings):
None of the ing	redients is listed.
All ingredients a	Substances Control Act):
Proposition 65	
•	bwn to cause cancer:
	redients is listed.
	own to cause reproductive toxicity for females: redients is listed.
0	
	own to cause reproductive toxicity for males:
U	redients is listed.
	own to cause developmental toxicity:
None of the ing	redients is listed.
· Carcinogenic	categories
· EPA (Environn	nental Protection Agency)
None of the ing	redients is listed.
· TLV (Threshol	d Limit Value established by ACGIH)
None of the ing	redients is listed.
· NIOSH-Ca (Na	tional Institute for Occupational Safety and Health)
None of the ing	redients is listed.
	classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictog	
	rams
Hazard pictog GHS05 GHS	o7
Hazard pictog GHS05 GHS Signal word D	rams 07 anger
Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebia	rams 07 anger hining components of labeling: s(methylamine)
Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebis 3,6,9-Triazaund	rams 07 anger hining components of labeling: s(methylamine) decamethylenediamine
Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebi 3,6,9-Triazaund Hazard statem	rams 07 anger hining components of labeling: s(methylamine) decamethylenediamine tents
 Hazard pictog Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebis 3,6,9-Triazauno Hazard statem H332 Harmful i 	rams 07 anger hining components of labeling: s(methylamine) decamethylenediamine hents f inhaled.
 Hazard pictog Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebis 3,6,9-Triazauno Hazard statem H332 Harmful i H315 Causes s 	rams 07 anger hining components of labeling: s(methylamine) decamethylenediamine tents f inhaled. skin irritation.
 Hazard pictog Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebis 3,6,9-Triazauno Hazard statem H332 Harmful i H315 Causes s H318 Causes s 	rams 07 anger nining components of labeling: s(methylamine) decamethylenediamine tents f inhaled. skin irritation. serious eye damage.
 Hazard pictog Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebis 3,6,9-Triazauno Hazard statem H332 Harmful i H315 Causes s H318 Causes s H317 May caus 	rams 07 anger nining components of labeling: s(methylamine) decamethylenediamine tents f inhaled. skin irritation. serious eye damage. se an allergic skin reaction.
 Hazard pictog Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebis 3,6,9-Triazauno Hazard statem H332 Harmful i H315 Causes s H318 Causes s 	rams 07 anger nining components of labeling: s(methylamine) decamethylenediamine tents f inhaled. skin irritation. serious eye damage. se an allergic skin reaction. statements
 Hazard pictog Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebis 3,6,9-Triazauno Hazard statem H32 Harmful i H315 Causes s H318 Causes s H317 May caus Precautionary P261 	rams 07 anger nining components of labeling: s(methylamine) decamethylenediamine ments f inhaled. kini irritation. serious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray
 Hazard pictog Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebia 3,6,9-Triazauno Hazard statem H332 Harmful i H315 Causes s H317 May causes H317 May causes Precautionary P261 P305+P351+P35 	rams 07 anger hining components of labeling: s(methylamine) decamethylenediamine tents f inhaled. skin irritation. serious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray 388 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.
 Hazard pictog Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebis 3,6,9-Triazaund Hazard statem H322 Harmful i H315 Causes s H318 Causes s H317 May caus Precautionary P261 P305+P351+P3 P310 	rams 07 anger hining components of labeling: s(methylamine) decamethylenediamine lents f inhaled. kkin irritation. serious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing. Immediately call a poison center/doctor.
 Hazard pictog Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebis 3,6,9-Triazaund Hazard statem H322 Harmful i H315 Causes s H318 Causes s H317 May caus Precautionary P261 P305+P351+P3 P310 P321 	rams 07 anger hining components of labeling: s(methylamine) decamethylenediamine tents f inhaled. kkin irritation. serious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray 388 If in eyes: Rinse cautiously with water for several minutes. Remove contact lense: present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label).
 Hazard pictog Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebis 3,6,9-Triazaund Hazard statem H322 Harmful i H315 Causes s H318 Causes s H317 May caus Precautionary P261 P305+P351+P3 P310 P321 P362+P364 	rams 07 anger hining components of labeling: s(methylamine) decamethylenediamine tents f inhaled. kin irritation. eerious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lense: present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse.
 Hazard pictog Hazard pictog GHS05 GHS Signal word D Hazard-determ m-Phenylenebis 3,6,9-Triazaund Hazard statem H322 Harmful i H315 Causes s H318 Causes s H317 May caus Precautionary P261 P305+P351+P3 P310 P321 	rams 07 anger hining components of labeling: s(methylamine) decamethylenediamine tents f inhaled. kikin irritation. serious eye damage. se an allergic skin reaction. statements Avoid breathing dust/fume/gas/mist/vapors/spray 388 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label).

(Contd. on page 9)



Version 3

Reviewed on 02/26/2018

(Contd. of page 8)

Product Description: Epoxy Curing Agent

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Printing date 02/26/2018

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Mr Eleazar dela Cruz
- Date of preparation / last revision 02/26/2018 / 2
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TVL: Treshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B us