

Page 1/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.10.2021

Version number 2

Revision: 22.10.2021

undertakin	9
· 1.1 Product id	dentifier
· Trade name:	Multipurpose Resin Modifier
CAS Number 8007-24-7     EC number: 700-991-6     Registration     1.2 Relevant     Sector of Use     Product cates	er: Cardolite NX-2021 : number 01-2119502450-57-0000 identified uses of the substance or mixture and uses advised against e SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites gory PC9a Coatings and paints, thinners, paint removers of the substance / the mixture
<ul> <li>Manufacturer CARDOLITE Wijmenstraat 9030 Mariaker</li> </ul>	SPECIALTY CHEMICALS EUROPE N.V. 21 K , Bus 2 rke – Gent
Fax. : +32 9 2 regulatory@ca eumsds@carc • Further inform • 1.4 Emergeno 24 Hour Emer	
Fax. : +32 9 2 regulatory@ca eumsds@carc • Further inforn • 1.4 Emergend 24 Hour Emer During busine	65.88.24 (Belgium) ardolite.com dolite.com mation obtainable from: Product safety department cy telephone number: rgency: 800-424-9300 CHEMTREC ss hours: +32 9 265.88.26 (Belgium)
Fax. : +32 9 2 regulatory@ca eumsds@carc • Further inforn • 1.4 Emergend 24 Hour Emer During busine	65.88.24 (Belgium) ardolite.com dolite.com mation obtainable from: Product safety department cy telephone number: gency: 800-424-9300 CHEMTREC
Fax. : +32 9 2 regulatory@ca eumsds@card • Further inforn • 1.4 Emergend 24 Hour Emer During busine SECTION 2 • 2.1 Classifica • Classification	65.88.24 (Belgium) ardolite.com dolite.com mation obtainable from: Product safety department cy telephone number: rgency: 800-424-9300 CHEMTREC ss hours: +32 9 265.88.26 (Belgium)
Fax. : +32 9 2 regulatory@ca eumsds@card • Further inforn • 1.4 Emergend 24 Hour Emer During busine SECTION 2 • 2.1 Classifica • Classification	65.88.24 (Belgium) ardolite.com dolite.com mation obtainable from: Product safety department cy telephone number: rgency: 800-424-9300 CHEMTREC ss hours: +32 9 265.88.26 (Belgium) 2: Hazards identification tion of the substance or mixture n according to Regulation (EC) No 1272/2008
Fax. : +32 9 2 regulatory@ca eumsds@card • Further inforn • 1.4 Emergend 24 Hour Emer During busine SECTION 2 • 2.1 Classification • Classification GHS	65.88.24 (Belgium) ardolite.com dolite.com mation obtainable from: Product safety department cy telephone number: gency: 800-424-9300 CHEMTREC ss hours: +32 9 265.88.26 (Belgium) 2: Hazards identification tion of the substance or mixture n according to Regulation (EC) No 1272/2008 605 corrosion H318 Causes serious eye damage.
Fax. : +32 9 2 regulatory@ca eumsds@card • Further inform • 1.4 Emergend 24 Hour Emer During busine • SECTION 2 • 2.1 Classification • Classification • GHS Eye Dam. 1	65.88.24 (Belgium) ardolite.com dolite.com mation obtainable from: Product safety department cy telephone number: gency: 800-424-9300 CHEMTREC ss hours: +32 9 265.88.26 (Belgium) 2: Hazards identification tion of the substance or mixture n according to Regulation (EC) No 1272/2008 605 corrosion H318 Causes serious eye damage.
Fax. : +32 9 2 regulatory@ca eumsds@card • Further inforn • 1.4 Emergend 24 Hour Emer During busine • SECTION 2 • 2.1 Classification • Classification • GHS Eye Dam. 1	65.88.24 (Belgium) ardolite.com dolite.com mation obtainable from: Product safety department cy telephone number: gency: 800-424-9300 CHEMTREC ss hours: +32 9 265.88.26 (Belgium) <b>Hazards identification</b> <b>Hazards identification</b> tion of the substance or mixture in according to Regulation (EC) No 1272/2008 S05 corrosion H318 Causes serious eye damage.
Fax. : +32 9 2 regulatory@ca eumsds@card • Further inforn • 1.4 Emergend 24 Hour Emer During busine • SECTION 2 • 2.1 Classification • Classification • GHS Eye Dam. 1 • GHS Acute Tox. 4	65.88.24 (Belgium) ardolite.com dolite.com mation obtainable from: Product safety department cy telephone number: gency: 800-424-9300 CHEMTREC ss hours: +32 9 265.88.26 (Belgium) <b>Hazards identification</b> <b>Hazards identification</b> tion of the substance or mixture n according to Regulation (EC) No 1272/2008 S05 corrosion H318 Causes serious eye damage.
Fax. : +32 9 2 regulatory@ca eumsds@card • Further inforn • 1.4 Emergend 24 Hour Emer During busine • SECTION 2 • 2.1 Classification • Classification • GHS Eye Dam. 1 • GHS Acute Tox. 4 Acute Tox. 4 Skin Irrit. 2	65.88.24 (Belgium) ardolite.com mation obtainable from: Product safety department cy telephone number: rgency: 800-424-9300 CHEMTREC ss hours: +32 9 265.88.26 (Belgium) <b>2: Hazards identification</b> tion of the substance or mixture in according to Regulation (EC) No 1272/2008 S05 corrosion H318 Causes serious eye damage.



Page 2/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.10.2021 Version number 2 Revision: 22.10.2021 Trade name: Multipurpose Resin Modifier (Contd. of page 1) · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 GHS07 · Signal word Danger Hazard-determining components of labelling: Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled · Hazard statements H302+H312 Harmful if swallowed or in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 P321 Specific treatment (see on this label). P330 Rinse mouth. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

## · 3.1 Chemical characterisation: Substances

#### · CAS No. Description

8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled

- Identification number(s)
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- EC number: 700-991-6

(Contd. on page 3)

EU



Page 3/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.10.2021

Version number 2

Revision: 22.10.2021

#### Trade name: Multipurpose Resin Modifier

(Contd. of page 2)

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

Promptly isolate the scene by removing all person from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

- · Protective equipment: No special measures required.
- **SECTION 6: Accidental release measures**
- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

EU



Page 4/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.10.2021

Version number 2

Revision: 22.10.2021

## Trade name: Multipurpose Resin Modifier

(Contd. of page 3)

· Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
- Keep container tightly closed and in a well ventilated place.
- · Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace: Not required.

· DNELs

8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled			
Oral	DNEL	0.25 mg/kg/day (General Population)	
Dermal	DNEL	0.25 mg/kg/day (General Population)	
		0.5 mg/kg/day (Workers)	
Inhalative	DNEL	0.2 mg/m3 (General Population)	
		0.88 mg/m3 (Workers)	

## · PNECs

## 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled

PNEC 3 µg/l (Aqua (freshwater))

30 µg/l (Aqua (intermittent release))

- PNEC 10 mg/kg (Oral)
  - 0.97 mg/kg (Sediment (freshwater))
  - 0.088 mg/kg (Sediment (marine water))

6.71 mg/kg (Soil)

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

Use local exhaust ventilation. Suitable respiratory equipment should be used in cases of insufficient ventilation.

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

## · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)



Page 5/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.10.2021 Version number 2 Revision: 22.10.2021 Trade name: Multipurpose Resin Modifier (Contd. of page 4) · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles

· Body protection: Protective work clothing

## **SECTION 9: Physical and chemical properties**

General Information	
Appearance:	
Form:	Liquid
Colour:	Dark brown
Odour:	Mineral-oil-like
Odour threshold:	Not determined.
PH-value at 25 ℃:	7-11.5
Change in condition Melting point/freezing point: Initial boiling point and boiling ra	Undetermined. ange: Undetermined.
Flash point:	> 200 ℃
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.



Page 6/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.10.2021

Version number 2

Revision: 22.10.2021

#### Trade name: Multipurpose Resin Modifier

	(Contd. of page 5
<sup>·</sup> Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure at 25 ℃:	0.0000005 hPa
<ul> <li>Density at 25 °C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	0.936 g/cm <sup>3</sup> Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with water at 20 °C:</li> </ul>	0.000304 g/l
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic at 25 ℃: Kinematic:	60 cps Not determined.
· 9.2 Other information	No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Product is stable.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if swallowed or in contact with skin.
- LD/LC50 values relevant for classification: Irritating to eyes and skin.

## 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled

- Oral LD50 >2,000 mg/kg (rat)
- Dermal LD50 2,000 mg/kg (rat)
- · Primary irritant effect:
- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.

(Contd. on page 7)



Page 7/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.10.2021

Version number 2

Revision: 22.10.2021

(Contd. of page 6)

#### Trade name: Multipurpose Resin Modifier

- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot$  Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

## · 12.1 Toxicity

#### · Aquatic toxicity:

8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled

EC50 1,300 mg/l (Algae)

- LL50 1,000 mg/l (Fish)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

· 14.1 UN-Number

N/A

(Contd. on page 8)

EU



Page 8/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.10.2021

Version number 2

Revision: 22.10.2021

## Trade name: Multipurpose Resin Modifier

	(Contd. of page
· ADR, ADN, IMDG, IATA	Non-hazardous for transport
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Not regulated as dangerous goods. Non-hazardous for transport
· 14.3 Transport hazard class(es)	N/A
· ADR	
· Class	Non-hazardous for transport
	Miscellaneous dangerous substances and articles.
· ADN/R Class:	Non-hazardous for transport
· 14.4 Packing group	N/A
· ADR, IMDG, IĂTA	Non-hazardous for transport
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of	of
Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Non-hazardous for transport

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation. • Hazard pictograms



· Signal word Danger

- Hazard-determining components of labelling:
- Cashew (Anacardium occidentale) Nutshell Extract, decarboxylated, Distilled • Hazard statements
- H302+H312 Harmful if swallowed or in contact with skin.
- H315 Causes skin irritation.
- H318 Causes serious eve damage.
- H317 May cause an allergic skin reaction.
- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.

(Contd. on page 9)

<sup>-</sup> EU



Page 9/10

## Safety data sheet

according to 1907/2006/EC, Article 31			
Printing date 22.10.20	21 Version number 2	Revision: 22.10.2021	
Trade name: Multipu	pose Resin Modifier		
P305+P351+P338 P310 P321 P330 P362+P364 P501	IF IN EYES: Rinse cautiously with water lenses, if present and easy to do. Continue Immediately call a POISON CENTER/docto Specific treatment (see on this label). Rinse mouth. Take off contaminated clothing and wash it Dispose of contents/container in accordanc regulations.	rinsing. r. before reuse.	
	/EU s substances - ANNEX I Substance is not li C) No 1907/2006 ANNEX XVII Conditions of		
	I/65/EU on the restriction of the use o ctronic equipment – Annex II	of certain hazardous substances ir	
Substance is not	sted.		
· REGULATION (E	J) 2019/1148		
· Annex I - REST licensing under	RICTED EXPLOSIVES PRECURSORS (L article 5(3))	Jpper limit value for the purpose o	
Substance is not	sted.		
· Annex II - REPOI	TABLE EXPLOSIVES PRECURSORS		
Substance is not	sted.		
· Regulation (EC)	lo 273/2004 on drug precursors		
Substance is not			
	No 111/2005 laying down rules for th hird countries in drug precursors	ne monitoring of trade between the	
	fety assessment: A Chemical Safety Asses	sment has not been carried out.	
SECTION 16.	Other information		
This information i	based on our present knowledge. However ct features and shall not establish a legally va		
Contact: Mr Elea     Abbreviations ar     ADR: Accord relatif a     International Carriage     IMDG: International Mi     IATA: International Aii     GHS: Globally Harmo     EINECS: European In	d acronyms: transport international des marchandises dangereuse of Dangerous Goods by Road) uritime Code for Dangerous Goods Transport Association ised System of Classification and Labelling of Chemica rentory of Existing Commercial Chemical Substances cts Service (division of the American Chemical Society)	als	

DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

(Contd. on page 10)



Page 10/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.10.2021

Version number 2

Revision: 22.10.2021

Trade name: Multipurpose Resin Modifier

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A (Contd. of page 9)

EU